

## Remarks


The applicants express appreciation for the Examiner's suggestions for correcting formal errors in the claims, abstract and specification. The applicants have amended the specification and submitted a new abstract accordingly.

The applicants have amended the claims as indicated by the Examiner in the office action with the exceptions noted below. The Examiner's suggestion in 3(d) to add "the first" in front the "electrically conductive material" in claim 1, line 8 and claim 8, line 13 is believed to be incorrect. The electrically conductive material for the turns of the coils is a generic reference and the particularity indicated by calling it "first" would be misleading. Applicants respectfully submit that simply saying "the electrically conductive material" is the best way to indicate the meaning.

Similarly, the Examiner's suggestion in 3(e) to add "a first" in front the "insulating material" in claim 1, line 9 and claim 8, line 14 is believed to be incorrect. The references to "insulating material" are generic and the particularity indicated by calling it "first" would be misleading. Applicants respectfully submit that simply saying "the insulating material" is the best way to indicate the meaning.

Applicants believe that the application is now in condition to proceed to issue.

Respectfully submitted,



G. Marlin Knight (Reg. Number 33,409)  
(customer no. 000041482)  
PO Box 1320  
Pioneer, CA 95666  
209-295-1982

10/812720

7 of 7

SJO920010115US2